Indexes to Volume 7

AUTHOR INDEX

Ahmed F, 124A
Anaes FC, 127A
Anderson WR, 39
Arroyo, 118A
Ashman MN, 134A

Badgwell JM, 285
Baker R, 84A
Banner TE, 281
Bardeen-Henschel A, 35
Bardoczky G, 108A, 134A
Barker SJ, 102A
Barney JA, 113A
Bartkowski R, 85A, 103A, 115A, 161
Bauman J, 104A
Bedford RF, 168
Belman MJ, 42
Beneken JE, 133A
Benumof JL, 232
Biebuyck JF, 313
Birch AA, Jr, 106A
Blackshear RH, 1
Block AJ, 119A
Block FE, Jr, 84A, 87A, 100A, 141, 241
Blom A, 133A
Bloom MJ, 106A
Boehmer RD, 90A
Bosse S, 90A, 253
Boucek C, 107A
Bowe EA, 107A
Boysen PG, 119A
Brazy JE, 325
Bredas P, 108A, 134A
Brock-Utne JG, 39
Brown D, 95A, 137A
Brown TCK, 93A
Buffington CW, 122A
Busby MG, 346

Calalang I, 95A, 109A, 195
Cane RD, 212
Carl G, 23
Carlon G, 259
Case R, 346
Castenholz RH, 119A
Cheney F, 90A, 253
Christie JM, 110A
Christopher MA, 126A
Civetta JM, 289
Cook C, 110A
Cook RI, 217
Coon R, 35
Cooper J, 90A, 253
Cooper J, 97A, 99A
Cork RC, 294
Crampton CA, 119A

Dallen L, 110A
Davies KR, 346
Davies RE, 346
Debbons A, 111A
Deneault LG, 111A, 113A, 122A
Denslagen W, 320
Dewolf A, 111A
Diamant N, 86A
Dierks T, 23
Dietrich BH, 119A
Dillon F, 132A
Dorsey MJ, 268
Doyle DJ, 186
Durkin M, 127A
Dzwonczyk R, 241

Ebert TJ, 113A
Edmonds HL, 84A, 86A
Edsall DW, 71, 99A, 118A, 351
Ehrenkranz RA, 335
Eichhorn JH, 71, 79
El-Attar AM, 114A
Elghazzawi Z, 97A
Elliott WR, 175, 271
Engelhardt W, 23
Epple E, 245
Epstein MAF, 84A
Epstein RA, 83A
Epstein RH, 92A, 103A, 115A, 161
Erdmann W, 127A

Farrow J, 99A, 100A
Feldman JM, 96A, 115A
Ferlazzo P, 129A
Fish DJ, 116A
Fletcher MV, 241
Ford P, 96A, 97A
Freund PR, 90A, 253
Fuhrman T, 84A
Fujii K, 30
Fukui M, 30
Fulcher WE, 116A

Gaba D, 110A
Gandhi SK, 35
Gayes JM, 348
Ghignone M, 113A
Gibby GL, 96A, 98A, 118A
Giles C, 118A
Gladstone IM, 335
Goldman DB, 175, 271
Goldman JM, 119A
Gorback MS, 13
Gordon CS, 86A
Gordon I, 137A
Gravenstein JS, 75, 96A, 133A, 281
Gravenstein N, 1
Griffith RL, 129A
Griffiths LK, 84A
Grundy BL, 119A
Guez A, 124A
Gupta B, 84A
Gupte P, 129A
Guyton DC, 120A

Hansmann DR, 212
Hardcastle JF, 119A
Harris TL, 120A
Harwood T, 132A
Hathiram DK, 98A
Heavner JE, 285
Heipertz W, 245
Hele MJ, 186
Hocking MP, 119A
Howe S, 304
Huffnagle S, 161
Hyatt J, 102A
Hyman WD, 107A
Hyndman V, 121A

Ikeda K, 128A

Jacobson L, 253
James CF, 125A
Johnson JR, 86A
Jones BR, 68, 268
Joseph NJ, 120A

Kalkman CJ, 320
Kalli I, 92A
Kambam JR, 181
Khambatta HJ, 98A
Kharasch ED, 172
Klain M, 107A
Kleinman BS, 309
Kroll DA, 77
Kross R, 168
Kruskal JB, 181
Kucharczyk W, 186

Ladin Z, 97A
Lai NC, 87A
Lam A, 213
Larson LH, 211
Larson MB, 106A
Latson TW, 121A
Lavine ML, 13
Le N, 102A
Lee B-H, 209
Lenz G, 245
Leon M, 110A
Levesque PR, 277
Lewis CM, 111A
Linden RD, 86A
Litscher G, 69
Lonchyna VA, 309
Lutz JW, 122A

Mackie K, 213
Mahoney JJ, 154
Mahutte CK, 212
Martinez EA, 118A
Mathew J, 127A
Maurer K, 23
McDonald JS, 84A, 100A, 217
McGinn MJ, 7
McGorray S, 119A
McHale L, 96A
McNulty SE, 92A, 249
Mendelson Y, 7
Meretoja OA, 93A
Miguel R, 211
Miller R, 139
Minic K, 100A
Mizutani AR, 232
Molner R, 107A
Mora C, 85A
Morgan M, 139
Morioka T, 30
Moritz H, 120A
Morrina J, 289
Morris TJ, 241
Mulier JP, 123A
Munshi CA, 35
Murphy KG, 124A
Muth DH, 107A
Muzi M, 113A
Mylrea KC, 294

Nance PN, 49
Naukam RJ, 181
Neely JM, 96A
Nevo I, 124A
Nguyen L, 110A
Niznik GE, 86A
Noe FE, 346
Noel KR, 280

Obuchowski N, 107A
O'Connor T, 127A
Overand P, 90A, 253
Overdyke FJ, 106A

January issue, pp 1–138; April issue, pp 139–212; July issue, pp 213–280; October issue, pp 281–370. An "A" following a page number signifies an abstract.

Copyright © 1991 by Little, Brown and Company

Ozaki G, 232

Paloheimo M, 90A, 91A
Pan PH, 125A, 133A
Parris WCV, 181
Patel U, 168
Payne DR, 107A
Pearl RG, 146
Philip JH, 89A, 95A, 109A, 125A, 175, 271
Pienkowski P, 137A
Pincus SM, 335
Podraza A, 120A
Posner KL, 253
Potter SS, 217

Quill TJ, 13
Quinn ML, 126A

Raemer D, 95A, 109A, 175, 195
Rafferty T, 127A
Rampil I, 349
Ramsey M III, 56
Rantala B, 94A
Ream AK, 75
Reeve W, 348
Reinsel R, 259
Rodman R, 168
Rolly G, 127A, 128A
Romijn K, 320
Roth JV, 124A
Roy J, 249
Roy RJ, 129A
Rubsamen RM, 96A
Runcie CJ, 348

Saidman LJ, 139
Sakaguchi Y, 30
Salem MR, 120A
Sami HM, 309
Sanjo Y, 128A
Scamman BJ, 86A
Scamman FL, 86A
Scheller MS, 68, 232
Schieren H, 85A
Schulman SR, 280
Scott D, 95A
Seitman DT, 129A
Severinghaus JW, 87A, 89A, 274, 276
Shadmehr R, 42
Shah N, 168
Shah S, 168
Shapiro BA, 212
Sharma A, 129A
Shibutani K, 129A
Shields CB, 86A
Shlamowitz M, 211
Shomaker TS, 120A
Siegel LC, 146
Silva FH, 189
Sittig D, 115A, 130A
Sivarajan M, 172
Skeehan TM, 313
Smalhout B, 70
Smith G, 139
Smith JJ, 113A
Smith NT, 81, 126A
Smith TC, 86A
Soens E, 127A
Soini HO, 227
Sommer S, 259
Sosis M, 132A
Souba W, 119A
Steen SN, 209
Stein KL, 111A
Steinbrook RA, 271
Stevenson DK, 106A
Stiller RL, 106A
Stone JG, 98A
Sutton DC, 109A
Swedlow DB, 211

Takala J, 227
Tammisto T, 91A, 94A
Teplick RS, 96A
Tobimatsu S, 30
Todd MM, 86A
Topulos GP, 95A
Torjman M, 85A, 249
Torres FP, 209
Tremper KK, 135A, 137A
Tullock WC, 133A
Turner JCR, 237

Urzua J, 68

Valdrighi JB, 49
Van Aken H, 123A
Van der Aa JJ, 133A
Van Oostrom JH, 133A
Varon AJ, 289
Verkaaik A, 127A
Versichelen L, 127A, 128A
Veselis RA, 259
Volgyesi GA, 186
Vonesh MJ, 294
Vreman HJ, 154

Wald A, 98A
Walker B, 253
Wallace MS, 134A
Wathieu M, 108A, 134A
Watkins-Pitchford JM, 134A
Weaver LK, 69, 304
Weber EC, 137A
Weinger M, 110A
Weir P, 135A, 137A
Weitzner SW, 136A
Welch J, 96A, 97A
Wesley RC, 137A
Wesseling KH, 123A
Westenskow D, 78, 189
Whelan G, 129A
Wiebalck A, 123A
Witkowski TA, 92A
Woodruff EA, 126A
Woods DD, 217
Wooldridge S, 86A
Wong D, 135A, 137A
Wong RJ, 154

Zabinski E, 115A
Zaccari J, 135A, 137A
Zelcer J, 83A
Zhang Y, 86A
Zornow M, 110A
Zung N, 129A

Acid-base equilibrium
acid-base balance controversy editorial introduction (Severinghaus), CLINICAL CONTROVERSY, 274
case for standard-base excess as the measure of nonrespiratory acid-base imbalance (Severinghaus), CLINICAL CONTROVERSY, 276
total-body carbon dioxide titration (Levesque), CLINICAL CONTROVERSY, 277
Aerosols
aerosol propellant interference with clinical mass spectrometers (Kharasch and Sivarajan), CASE REPORT, 172
effects of bronchodilator-inhaler aerosol propellants on respiratory gas monitors (Elliot et al), TECHNICAL NOTE, 175
Anesthesia
depth
development of a monitoring-for-change algorithm for the Ohmeda modulus CD anesthesia machine (Raemer et al), 95A
pediatric
blood pressure monitoring in infants (Schulman), CORRESPONDENCE, 280
end-tidal carbon dioxide pressure in neonates and infants measured by aspiration and flow-through capnography (Badgwell and Heavner), 285
pediatric anesthesia machine design—the forgotten child (Epstein), 83A
Anesthetic techniques
closed circle
automatic closed-circuit anesthesia is now possible: evaluation of the Physioflex apparatus by mass spectrometry (Rolly et al), 127A
calculating anesthetic agent uptake and delivery in a closed circuit with a calculator (Fulcher), 116A
more general controller for closed-circuit anesthesia (Sharma et al), 129A
what's wrong with anesthesia breathing systems? (Cooper), 99A
hypotension, induced
performance evaluation of a closed-loop sodium nitroprusside delivery device for the induction and maintenance of deliberate hypotension (Quinn et al), 126A
inhalation
aerosol propellant interference with clinical mass spectrometers (Kharasch and Sivarajan), CASE REPORT, 172
brain MAC predictor combined with anesthetic gas monitor and its pharmacokinetic simulator (Sanjo and Ikeda), 128A
non-rebreathing, Bain system
reduction of fresh gas flow requirements by a circle-modified Bain breathing circuit (Valdrighi and Nance), TECHNICAL NOTE, 49
Anesthetics
volatile
aerosol propellant interference with clinical mass spectrometers (Kharasch and Sivarajan), CASE REPORT, 172
isoflurane
electroencephalographic mapping during isoflurane anesthesia for treatment of mental depression (Engelhardt et al), 23
guided isoflurane injection in totally closed circuit (El-Attar), 114A
laboratory evaluation of the vital signs (ICOR) piezoelectric anesthetic agent analyzer (Westenskow and Silva), TECHNICAL NOTE, 189
monitoring the end-tidal concentration of anesthetic agents (Block), 87A
two models of uptake and distribution of volatile anesthetic agents to predict expired anesthetic values (Gibby et al), 118A
Arteries
pulmonary
noninvasive method of estimating mean pulmonary artery pressure in the pneumatic total artificial heart (Vonesh et al), 294
Auscultation
auscultation cannot distinguish esophageal from tracheal passage of the tube (Mizutani et al), 232

Bain system. *See* Anesthetic techniques, non-rebreathing
Blood
hemoglobin
clinical experience with pulse oximetry in the presence of prilocaine-induced methemoglobin (Wathieu et al), 134A
fetal hemoglobin of transfused neonates and spectrophotometric measurements of oxyhemoglobin and carboxyhemoglobin (Mahoney et al), 154
Blood gas analysis
skin reflectance pulse oximetry: in vivo measurements from the forearm and calf (Mendelson and McGinn), 7
Blood pressure
measurement
blood pressure monitoring: automated oscillometric devices (Ramsey), KNOWING YOUR MONITORING EQUIPMENT, 56
blood pressure monitoring in infants (Schulman), CORRESPONDENCE, 280
characteristic fourier transform spectrum helps identify arterial blood pressure artifact (Sittig), 130A
clinical evaluation of rapid automatic noninvasive blood pressure determination with the Ohmeda 2120 "return-to-flow" method (Block et al), 241
comparative accuracies of a finger blood pressure monitor

January issue, pp 1–138; April issue, pp 139–212; July issue, pp 213–280; October issue, pp 281–370. An "A" following a page number signifies an abstract.

Copyright © 1991 by Little, Brown and Company

measurement (*continued*)
and an oscillometric blood pressure monitor (Epstein et al), 161
comparative effects of cuff size and tightness of fit on accuracy of blood pressure measurements (Banner and Gravenstein), 281
continuous noninvasive blood pressure monitor (Boehmer), 90A
design and validation of an algorithm to extract arterial blood pressure features during intra-aortic balloon pump assist (Elghazzawi et al), 97A
improved detection of hypotension by automated noninvasive blood pressure monitoring (Kross et al), 168
noninvasive Doppler blood pressure monitoring in the monoplace hyperbaric chamber (Weaver and Howe), 304
noninvasive method of estimating mean pulmonary artery pressure in the pneumatic total artificial heart (Vonesh et al), 294
pressure measurement: comparison of waveform analysis and variable weight-filtered digital displays (Fish), 116A
relative accuracies of two automated noninvasive arterial pressure measurement devices (Gorback et al), 13
riva-rocci revisited: the use of plethysmographic pulse and manometric cuff pressure in noninvasive blood pressure measurements (Paloheimo), 91A

Brain
blood flow
increased power of the low-frequency electroencephalogram components during cardiopulmonary bypass surgery predicts neurologic deficit (Edmonds and Griffiths), 84A
electroencephalography
electroencephalographic mapping during isoflurane anesthesia for treatment of mental depression (Engelhardt et al), 23
use of neural network analysis to classify electroencephalographic patterns against depth of midazolam sedation in intensive care unit patients (Veselis et al), 259
evoked potentials
eliminating diathermy-induced artifacts during intraoperative monitoring of somatosensory-evoked potentials: a hardware solution (Kalkman et al), TECHNICAL NOTE, 320
usefulness of epidurally evoked cortical potential monitoring during cervicomedullary glioma surgery (Morioka et al), CASE REPORT, 30
oxygenation
cerebral oxygen monitoring with near infrared spectroscopy: clinical application to neonates (Brazy), 325

Bronchodilator agents
effects of bronchodilator-inhaler aerosol propellants on respiratory gas monitors (Elliot et al), TECHNICAL NOTE, 175

Carbon dioxide
measurement
accuracy of end-tidal carbon dioxide tension analyzers (Raemer and Calalang), TUTORIAL, 195
capnography for continuous postoperative monitoring of nonintubated, spontaneously breathing patients (Lenz et al), 245
clinical utility of a colorimetric end-tidal CO_2 detector in cardiopulmonary resuscitation and emergency intubation (Varon et al), 289
comparison of three techniques for monitoring end-tidal CO_2 in awake sedated patients (Witkowski et al), 92A
end-tidal carbon dioxide pressure in neonates and infants measured by aspiration and flow-through capnography (Badgwell and Heavner), 285
reduction of fresh gas flow requirements by a circle-modified Bain breathing circuit (Valdrighi and Nance), TECHNICAL NOTE, 49
sensitivity of a disposable end-tidal carbon dioxide detector (Jones and Dorsey), TECHNICAL NOTE, 268
total-body carbon dioxide titration (Levesque), CLINICAL CONTROVERSY, 277

Complications
accidents
comparing geometric objects and conventional displays in patient monitoring (Deneault et al), 111A
effects of bellows leaks on anesthesia ventilator function (Harris et al), 120A
evaluation of a new system to prevent anesthesia breathing circuit disconnections (Sosis et al), 132A
in vitro evaluation of relative perforating potential of central venous catheters: comparison of materials, selected models, number of lumens, and angles of incidence to simulated membrane (Gravenstein and Blackshear), 1
vital function status: a parameter to facilitate decision making in anesthesia (Nevo et al), 124A
burns
severe burns from a pulse oximeter (Murphy), 124A
equipment failure
linking mass spectrometer to provide continuing monitoring during system failure (Steinbrook et al), TECHNICAL NOTE, 271
oxygen pipeline supply failure: a coping strategy (Anderson and Brock-Utne), CASE REPORT, 39
prospective study of intraoperative pulse oximetry failure (Freund et al), 253
esophagoscopy
auscultation cannot distinguish esophageal from tracheal passage of the tube (Mizutani et al), 232
hypotension
improved detection of hypotension by automated noninvasive blood pressure monitoring (Kross et al), 168
hypoxemia
oxygen pipeline supply failure: a coping strategy (Anderson and Brock-Utne), CASE REPORT, 39
intubation, endotracheal
capnography for detection of endobronchial migration of an endotracheal tube (Gandhi et al), CASE REPORT, 35
sensitivity of a disposable end-tidal carbon dioxide detector (Jones and Dorsey), TECHNICAL NOTE, 268

Depression
electroencephalographic mapping during isoflurane anesthesia for treatment of mental depression (Engelhardt et al), 23

Epinephrine
epinephrine-containing test dose during beta-blockade (Mackie and Lam), 213

Equipment
alarms
computerization of anesthesia information management (Eichhorn and Edsall), WORKSHOP, 71
intelligent anesthesia alarms: a real-time expert system application (van der Aa et al), 133A
single gas circuit adapter for measurement of respiratory gases, airway pressure, and volume: a source for intelligent alarms (Rantala), 94A
volume and frequency of anesthetic alarms: are the current alarm systems appropriate for normal human ear aging? (Wallace and Ashman), 134A
analyzers
accuracy of end-tidal carbon dioxide tension analyzers (Raemer and Calalang), TUTORIAL, 195
laboratory evaluation of vital signs (ICOR) piezoelectric anesthetic agent analyzer (Westenskow and Silva), TECHNICAL NOTE, 189
anesthesia machines
computer architecture of the Ohmeda modulus CD anesthesia system (Pienkowski and Brown), 137A
development of a monitoring-for-change algorithm for the Ohmeda modulus CD anesthesia machine (Raemer et al), 95A
pediatric anesthesia design—the forgotten child (Epstein), 83A
single gas circuit adapter for measurement of respiratory gases, airway pressure, and volume: a source for intelligent alarms (Rantala), 94A
blood pressure cuffs
comparative effects of cuff size and tightness of fit on accuracy of blood pressure measurements (Banner and Gravenstein), 281
calculators
calculating anesthetic agent uptake and delivery in a closed circuit with a calculator (Fulcher), 116A
capnometers
capnography for continuous postoperative monitoring of nonintubated, spontaneously breathing patients (Lenz et al), 245
capnography for detection of endobronchial migration of an endotracheal tube (Gandhi et al), CASE REPORT, 35
reduction of fresh gas flow requirements by a circle-modified Bain breathing circuit (Valdrighi and Nance), TECHNICAL NOTE, 49
sensitivity of a disposable end-tidal carbon dioxide detector (Jones and Dorsey), TECHNICAL NOTE, 268
catheters
arterial
progress in the development of a fluorescent intravascular blood gas system in man (Shapiro and Cane), CORRESPONDENCE, 212; reply (Mahutte and Hansmann), CORRESPONDENCE, 212
pulmonary artery catheter monitoring during single-lung ventilation in dogs (Boucek et al), 107A
intravenous
semiautomatic drug flusher for anesthesia (Birch and Larson), 106A
use of long catheters for multipatient anesthetic monitoring at high respiratory frequencies (Turner), 237
venous
in vitro evaluation of relative perforating potential of central venous catheters: comparison of materials, selected models, number of lumens, and angles of incidence to simulated membrane (Gravenstein and Blackshear), 1
circuits, closed
automatic closed-circuit anesthesia is now possible: evaluation of the Physioflex apparatus by mass spectrometry (Rolly et al), 127A
calculating anesthetic agent uptake and delivery in a closed circuit with a calculator (Fulcher), 116A
guided isoflurane injection in totally closed circuit (El-Attar), 114A
more general controller for closed-circuit anesthesia (Sharma et al), 129A
nitrogen build-up in a closed circuit (Philip), 89A
computers
analysis of coronary flow with workstation technology (Lutz et al), 122A
anesthesia information management systems: education through certification (Giles and Edsall), 118A
ARKIVE—current stage of evolution (Farrow), 100A
ARKIVE database analysis system—a new window on anesthesia case information (Farrow), 99A
brain MAC predictor combined with anesthetic gas monitor and its pharmacokinetic simulator (Sanjo and Ikeda), 128A
computer acquisition of commonly available operating room data (Scamman et al), 86A
computer architecture of the Ohmeda modulus CD anesthesia system (Pienkowski and Brown), 137A
computerization of anesthesia information management (Eichhorn and Edsall), WORKSHOP, 71
computerized anesthesiology preoperative evaluation (Neely et al), 96A
controversy in automated record keeping (Noel), CORRESPONDENCE, 280
custom software in patient monitoring: using SpaceLabs PC mode (Feldman et al), 115A
evaluating the human engineering of microprocessor-controlled operating room devices (Cook et al), 217
gas man and agent monitoring—combining theory and practice in clinical anesthesia (Philip), 125A
in-house medical personnel scheduler: an adaptable computer program for on-call or operating room scheduling (Seitman), 129A
interactive database for quality assurance monitoring in anesthesia (Epstein and Bartkowski), 115A
method of task analysis for anesthesiologists using simple, inexpensive, and effective Macintosh hardware and software (Dallen et al), 110A
more general controller for closed-circuit anesthesia (Sharma et al), 129A
normal fluctuation of physiologic cardiovascular variables during anesthesia and the phenomenon of "smoothing" (Block), 141
our future is ARKIVE (Minic et al), 100A
use of an electronic strip chart recorder based on the Appollo personal workstation (Deneault and Ghignone), 113A
vital signs versus anesthetic agent administration—which comes first? examples of the beneficial use of computers in anesthesiology (Edsall and Farrow), 99A
diathermy
eliminating diathermy-induced artifacts during intraoper-

diathermy (*continued*)
ative monitoring of somatosensory-evoked potentials: a hardware solution (Kalman et al), TECHNICAL NOTE, 320
drapes, surgical
evaluation of a new laser-resistant anesthesia circuit protector, drape, and patient eye shield (Sosis), 132A
flowmeters
expiratory flow rate curves for monitoring upper and lower airway obstruction during anesthesia (Davies), CORRESPONDENCE, 346
laryngoscopes
two new devices improve patient care (Bauman), 104A
lasers
development and initial use of automated laser interrupter (Gibby and Hathiram), 98A
masks, anesthesia
simple capnometry during inhalational anesthesia with mask ventilation (Bredas et al), 108A
monitors
European economic community standard for performance of anesthesia workstations (Weitzner), 136A
normal fluctuation of physiologic cardiovascular variables during anesthesia and the phenomenon of "smoothing" (Block), 141
specifications for new monitoring equipment for the operating room (Block et al), 84A
nasal cannulae
comparison of modified nasal cannulae for sampling end-tidal carbon dioxide during oxygen administration (Bowe et al), 107A
improved nasal prong apparatus for end-tidal carbon dioxide monitoring in awake, sedated patients (Roy et al), 249
oscillometers
blood pressure monitoring: automated oscillometric devices (Ramsey), KNOWING YOUR MONITORING EQUIPMENT, 56
clinical evaluation of rapid automatic noninvasive blood pressure determination with the Ohmeda 2120 "return-to-flow" method (Block et al), 241
oxygen tonometers
measurement of tissue oxygen tension: comparison between two subcutaneous oxygen tonometers (Soini and Takala), 227
pulse monitors
design and evaluation of a pneumatic pulse monitor for use during magnetic resonance imaging (Volgyesi et al), TECHNICAL NOTE, 186
pulse oximeters
central venous pulsations associated with a falsely low oxygen saturation measured by pulse oximetry (Sami et al), CASE REPORT, 309
clinical experience with pulse oximetry in the presence of prilocaine-induced methemoglobin (Wathieu et al), 134A
failure rate of pulse oximetry—a prospective study (Freud et al), 90A
failure rates of transmission and reflectance pulse oximetry for various sensor sites (Barker and Hyatt), 102A
oximetry (Severinghaus), 89A
prospective study of intraoperative pulse oximetry failure (Freund et al), 253
pulse oximetry during transport of the critically ill (Runcie and Reeve), CORRESPONDENCE, 348
severe burns from a pulse oximeter (Murphy), 124A
skin reflectance pulse oximetry: in vivo measurements from the forearm and calf (Mendelson and McGinn), 7
telemetric pulse oximetry network (Pan and James), 125A
resuscitators
two new devices improve patient care (Bauman), 104A
spectrometers
erroneous mass spectrometer data caused by a faulty patient sampling tube: case report and laboratory study (Skeehan and Biebuyck), 313
linking mass spectrometers to provide continuing monitoring during system failure (Steinbrook et al), TECHNICAL NOTE, 271
use of long catheters for multipatient anesthetic monitoring at high respiratory frequencies (Turner), 237
standards
European economic community standard for performance of anesthesia workstations (Weitzner), 136A
evaluating the human engineering of microprocessor-controlled operating room devices (Cook et al), 217
transducers
prolonging the lifespan of disposable Nellcor pulse oxisensors (Swedlow and Larson), CORRESPONDENCE, 211; reply (Miguel and Shlamowitz), CORRESPONDENCE, 211
tubes
auscultation cannot distinguish esophageal from tracheal passage of the tube (Mizutani et al), 232
vaporizers
evaluation of the new Engstrom Elsa anesthetic vaporizing principle (Rolly and Versichelen), 128A
ventilators
aerosol propellant interference with clinical mass spectrometers (Kharasch and Sivarajan), CASE REPORT, 172
evaluation of a new system to prevent anesthesia breathing circuit disconnections (Sosis et al), 132A
target feedback device for ventilatory muscle training (Belman and Shadmehr), TECHNICAL NOTE, 42
Ethics
professional
ethics in publishing (Smith et al), EDITORIAL, 139

Gas man. *See* Equipment, computers
Gases, nonanesthetic
nitrogen
nitrogen build-up in a closed circuit (Philip), 89A

Head injuries
survival prediction in head-injured patients using the upper facial electromyogram (Edmonds et al), 86A
Heart
artificial
noninvasive method of estimating mean pulmonary artery pressure in the pneumatic total artificial heart (Vonesh et al), 294
blood flow, myocardial
analysis of coronary flow with workstation technology (Lutz et al), 122A

cardiac output
expiratory flow rate curves for monitoring upper and lower airway obstruction during anesthesia (Davies et al), CORRESPONDENCE, 346
thermodilution cardiac output measurement with a large left-to-right shunt (Pearl and Siegel), 146
echocardiography
comparison of color-flow Doppler and saline-contrast two-dimensional echocardiographic estimates of tricuspid regurgitation (Rafferty et al), 127A
massage
clinical utility of a colorimetric end-tidal CO_2 detector in cardiopulmonary resuscitation and emergency intubation (Varon et al), 289
pulse rate
design and evaluation of a pneumatic pulse monitor for use during magnetic resonance imaging (Volgyesi et al), TECHNICAL NOTE, 186
spectral analysis of heart rate variability: methods for generation of a "real-time" heart rate signal (Latson and Hyndman), 121A
rate
epinephrine-containing test dose during beta-blockage (Mackie and Lam), 213
regularity statistic for medical data analysis (Pincus et al), ALGORITHM, 335
tamponade
new classification system for cardiac tamponade (Mulier et al), 123A
tricuspid valve
comparison of color-flow Doppler and saline-contrast two-dimensional echocardiographic estimates of tricuspid regurgitation (Rafferty et al), 127A
Human engineering
evaluating the human engineering of microprocessor-controlled operating room devices (Cook et al), 217
Hyperbaria
measurement of arterial oxygen tension in the hyperbaric environment (Weaver), CORRESPONDENCE, 68; reply (Litscher), CORRESPONDENCE, 68
noninvasive Doppler blood pressure monitoring in the monoplace hyperbaric chamber (Weaver and Howe), 304
Hyperventilation
eucapnic hyperventilation can facilitate recovery from inhalation anesthesia (Calalang et al), 109A
Hypnotics
benzodiazepines, midazolam
use of neural network analysis to classify electroencephalographic pattern against depth of midazolam sedation in intensive care unit patients (Veselis et al), 259
Hyponatremia
prevention of the hypervolemic hyponatremia syndrome by continuous monitoring (Watkins-Pitchford), 134A
Hypoxia
changes in renal vein, renal surface, and urine oxygen tension during hypoxia in pigs (Wong et al), 137A
postoperative hypoxia on a surgical ward: telemetered pulse oximetry (Grundy et al), 119A
skin reflectance pulse oximetry: in vivo measurements from the forearm and calf (Mendelson and McGinn), 7
Infants
newborn
cerebral oxygen monitoring with near infrared spectroscopy: clinical application to neonates (Brazy), 325
end-tidal carbon dioxide pressure in neonates and infants measured by aspiration and flow-through capnography (Badgwell and Heavner), 285
fetal hemoglobin of transfused neonates and spectrophotometric measurement of oxyhemoglobin and carboxyhemoglobin (Mahoney et al), 154
Intensive care units
determination of the limits of agreement between transcutaneous carbon dioxide and arterial carbon dioxide in adult intensive care unit patients (Weir et al), 135A
Intra-aortic balloon pumping
design and validation of an algorithm to extract arterial blood pressure features during intra-aortic balloon pump assist (Elghazzawi et al), 97A
expiratory flow rate curves for monitoring upper and lower airway obstruction during anesthesia (Davies et al), CORRESPONDENCE, 346
Intubation
endotracheal
clinical utility of a colorimetric end-tidal CO_2 detector in cardiopulmonary resuscitation and emergency intubation (Varon et al), 289
complications
capnography for detection of endobronchial migration of an endotracheal tube (Gandhi et al), CASE REPORT, 35
expiratory flow rate curves for monitoring upper and lower airway obstruction during anesthesia (Davies et al), CORRESPONDENCE, 346
sensitivity of a disposable end-tidal carbon dioxide detector (Jones and Dorsey), TECHNICAL NOTE, 268
Kidney
function
changes in renal vein, renal surface, and urine oxygen tension during hypoxia in pigs (Wong et al), 137A
Laser surgery
development and initial use of automated laser interrupter (Gibby amd Hathiram), 98A
Lung
respiratory depression
assessment of anesthetic-induced changes in respiratory drive using the breath-by-breath technique (Torjman et al), 85A
Magnetic resonance imaging
design and evaluaton of a pneumatic pulse monitor for use during magnetic resonance imaging (Vogyesi et al), TECHNICAL NOTE, 186
Measurement
mass spectrometry
linking mass spectrometers to provide continuing monitoring during system failure (Steinbrook et al), TECHNICAL NOTE, 271
Measurement techniques
airway obstruction
expiratory flow rate curves for monitoring upper and

airway obstruction (*continued*)
lower airway obstruction during anesthesia (Davies), CORRESPONDENCE, 346
blood pressure
blood pressure monitoring in infants (Schulman), CORRESPONDENCE, 280
clinical evaluation of rapid automatic noninvasive blood pressure determination with the Ohmeda 2120 "return-to-flow" method (Block et al), 241
comparative accuracies of a finger blood pressure monitor and an oscillometric blood presure monitor (Epstein et al), 161
comparative effects of cuff size and tightness of fit on accuracy of blood presure measurements (Banner and Gravenstein), 281
improved detection of hypotension by automated noninvasive blood pressure monitoring (Kross et al), 168
measurement of arterial oxygen tension in the hyperbaric environment (Weaver), CORRESPONDENCE, 68; reply (Litscher), CORRESPONDENCE, 68
noninvasive Doppler blood pressure monitoring in the monoplace hyperbaric chamber (Weaver and Howe), 304
relative accuracies of two automated noninvasive arterial pressure measurement devices (Gorback et al), 13
capnography
artificial neural network analysis of respiratory waveforms: data intput (Goldman and Dietrich), 119A
capnography for continuous postoperative monitoring of nonintubated, spontaneously breathing patients (Lenz et al), 245
capnography for detection of endobronchial migration of an endotracheal tube (Gandhi et al), CASE REPORT, 35
end-tidal carbon dioxide pressure in neonates and infants measured by aspiration and flow-through capnography (Badgwell and Heavner), 285
improved nasal prong apparatus for end-tidal carbon dioxide monitoring in awake, sedated patients (Roy et al), 249
mass spectrometry, capnometry, and calibration (Severinghaus), 86A
reduction of fresh gas flow requirements by a circle-modified Bain breathing circuit (Valdrighi and Nance), TECHNICAL NOTE, 49
carbon dioxide
sensitivity of a disposable end-tidal carbon dioxide detector (Jones and Dorsey), TECHNICAL NOTE, 268
total-body carbon dioxide titration (Levesque), CLINICAL CONTROVERSY, 277
cardiac output
advanced technology applied to transthoracic impedance measurements improves accuracy and reproducibility of cardiac output determinations (Ebert et al), 113A
end-tidal CO_2: a clinical noninvasive cardiac output monitor (Shibutani et al), 129A
expiratory flow rate curves for monitoring upper and lower airway obstruction during anesthesia (Davies et al), CORRESPONDENCE, 346
thermodilution cardiac output measurement with a large left-to-right shunt (Pearl and Siegel), 146
use of peak DP/DT as a continuous measurement of the damping of the arterial pressure waveform (Mulier et al), 123A
echocardiography
comparison of color-flow Doppler and saline-contrast two-dimensional echocardiographic estimates of tricuspid regurgitation (Rafferty et al), 127A
electrodes, carbon dioxide
determination of the limits of agreement between transcutaneous carbon dioxide and arterial carbon dioxide in adult intensive care unit patients (Weir et al), 135A
electromyography
baseline drift of the evoked thenar electromyogram signal (Meretoja and Brown), 93A
evoked electromyogram baseline changes without a decrease in thenar temperature (Tullock), 133A
survival prediction in head-injured patients using the upper facial electromyogram (Edmonds et al), 86A
infrared spectroscopy
cerebral oxygen monitoring with near infrared spectroscopy: clinical application to neonates (Brazy), 325
mass spectrometry
accuracy of end-tidal carbon dioxide tension analyzers (Raemer and Calalang), TUTORIAL, 195
aerosol propellant interference with clinical mass spectrometers (Kharasch and Sivarajan), CASE REPORT, 172
automatic closed-circuit anesthesia is now possible: evaluation of the Physioflex apparatus by mass spectrometry (Rolly et al), 127A
effects of bronchodilator-inhaler aerosol propellant on respiratory gas monitors (Elliot et al), TECHNICAL NOTE, 175
use of long catheter for multipatient anesthetic monitoring at high respiratory frequencies (Turner), 237
multiple-filter infrared system
multiple-filter infrared system as an alternative to mass spectrometer (Lai), 87A
neural network analysis
use of neural network analysis to classify electroencephalographic patterns against depth of midazolam sedation in intensive care unit patients (Veselis et al), 259
oxygen tonometry
measurement of tissue oxygen tension: comparison between two subcutaneous oxgen tonometers (Soini and Takala), 227
photoacoustic spectroscopy
effect of incorrect agent setting or alcohol on a photoacoustic gas monitor (Guyton and Shomaker), 120A
pulse monitor
design and evaluation of a pneumatic pulse monitor for use during magnetic resonance imaging (Volgyesi et al), TECHNICAL NOTE, 186
spectral analysis of heart rate variability: methods for generation of a "real-time" heart rate signal (Latson and Hyndman), 121A
pulse oximetry
central venous pulsations associated with a falsely low oxygen saturation measured by pulse oximetry (Sami et al), CASE REPORT, 309
failure rate of pulse oximetry—a prospective study (Freund et al), 90A
failure rates of transmission and reflectance pulse oximetry for various sensor sites (Barker and Hyatt), 103A
oximetry (Severinghaus), 89A
postoperative hypoxia on a surgical ward: telemetered pulse oximetry (Grundy et al), 119A

prospective study of intraoperative pulse oximetry failure (Freund et al), 253
pulse oximetry during transport of the critically ill (Runcie and Reeve), CORRESPONDENCE, 348
skin reflectance pulse oximetry: in vivo measurements from the forearm and calf (Mendelson and McGinn), 7
telemetric pulse oximetry network (Pan and James), 125A
radioimmunoassay
effects of neurokinin A, neurokinin B, and eledoisin on substance P analysis (Naukam et al), TECHNICAL NOTE, 181
spectrophotometry
fetal hemoglobin of transfused neonates and spectrophotometric measurements of oxyhemoglobin and carboxyhemogobin (Mahoney et al), 154
thermodilution
thermodilution cardiac output measurement with large left-to-right shunt (Pearl and Siegel), 146
Medicolegal
computerization of anesthesia information management (Eichhorn and Edsall), WORKSHOP, 71
normal fluctuation of physiologic cardiovascular variables during anesthesia and the phenomenon of "smoothing" (Block), 141
Monitoring
anesthesia
brain MAC predictor combined with anesthetic gas monitor and its pharmacokinetic simulator (Sanjo and Ikeda), 128A
development of a monitoring-for-change algorithm for the Ohmeda modulus CD anesthesia machine (Raemer et al), 95A
do we need monitoring? (Tammisto), 94A
effect of incorrect agent setting or alcohol on a photoacoustic gas monitor (Guyton and Shomaker), 120A
erroneous mass spectrometer data caused by a faulty patient sampling tube: case study and laboratory study (Skeehan and Biebuyck), 313
expiratory flow rate curves for monitoring upper and lower airway obstruction during anesthesia (Davies), CORRESPONDENCE, 346
intelligent anesthesia alarms: a real-time expert system application (van der Aa et al), 133A
laboratory evaluation of the vital signs (ICOR) piezoelectric anesthetic agent analyzer (Westenskow and Silva), TECHNICAL NOTE, 189
linking mass spectrometer to provide continuing monitoring during system failure (Steinbrook et al), TECHNICAL NOTE, 271
monitoring the end-tidal concentration of anesthetic agents (Block), 87A
multiple-filter infrared system as an alternative to mass spectrometer (Lai), 87A
progress in the development of a fluorescent intravascular blood gas system in man (Shapiro and Cane), CORRESPONDENCE, 212; reply (Mahutte and Hansmann), CORRESPONDENCE, 212
two models of uptake and distribution of volatile anesthetic agents to predict expired anesthetic values (Gibby et al), 118A
use of long catheters for multipatient anesthetic monitoring at high respiratory frequencies (Turner), 237
vital function status: a parameter to facilitate decision making in anesthesia (Nevo et al), 124A
volume and frequency of anesthetic alarms: are the current alarm systems appropriate for normal human ear aging? (Wallace and Ashman), 134A
blood pressure
blood pressure monitoring: automated oscillometric devices (Ramsey), KNOWING YOUR MONITORING EQUIPMENT, 56
blood pressure monitoring in infants (Schulman), CORRESPONDENCE, 280
characteristic fourier transform spectrum helps identify arterial blood pressure artifact (Sittig), 130A
clinical evaluation of rapid automatic noninvasive blood pressure determination with the Ohmeda 2120 "return-to-flow" method (Block et al), 241
comparative accuracies of a finger blood pressure monitor and an oscillometric blood pressure monitor (Epstein et al), 161
comparative effects of cuff size and tightness of fit on accuracy of blood pressure measurements (Banner and Gravenstein), 281
continuous noninvasive blood pressure monitor (Boehmer), 90A
design and validation of an algorithm to extract arterial blood pressure features during intra-aortic balloon pump assist (Elghazzawi et al), 97A
improved detection of hypotension by automated noninvasive blood pressure monitoring (Kross), 168
noninvasive Doppler blood pressure monitoring in the monoplace hyperbaric chamber (Weaver and Howe), 304
noninvasive method of estimating mean pulmonary artery pressure in the pneumatic total artificial heart (Vonesh et al), 294
pressure measurement: comparison of waveform analysis and variable weight-filtered digital displays (Fish), 116A
relative accuracies of two automated noninvasive arterial pressure measurement devices (Gorback et al), 13
riva-rocci revisited: the use of plethysmographic pulse and manometric cuff pressure in noninvasive blood pressure measurements (Paloheimo), 91A
use of peak DP/DT as a continuous measurement of the damping of the arterial pressure waveform (Mulier et al), 123A
in vitro evaluation of relative perforating potential of central venous catheters: comparison of materials, selected models, number of lumens, and angles of incidence to simulated membrane (Gravenstein and Blackshear), 1
carbon dioxide
accuracy of end-tidal carbon dioxide tension analyzers (Raemer and Calalang), TUTORIAL, 195
artificial neural network analysis of respiratory waveforms: data intput and system design considerations (Goldman and Dietrich), 119A
capnography for continuous postoperative monitoring of nonintubated, spontaneously breathing patients (Lenz et al), 245
capnography for detection of endobronchial migration of an endotracheal tube (Gandhi et al), CASE REPORT, 35
clinical utility of a colorimetric end-tidal CO_2 detector in

carbon dioxide (*continued*)
cardiopulmonary resuscitation and emergency intubation (Varon et al), 289
comparison of modified nasal cannulae for sampling end-tidal carbon dioxide during oxygen administration (Bowe et al), 107A
comparison of three techniques for monitoring end-tidal CO_2 in awake sedated patients (Witkowski et al), 92A
determination of the limits of agreement between transcutaneous carbon dioxide and arterial carbon dioxide in adult intensive care unit patients (Weir et al), 135A
end-tidal carbon dioxide pressure in neonates and infants measured by aspiration and flow-through capnography (Badgwell and Heavner), 285
end-tidal CO_2: a clinical noninvasive cardiac output monitor (Shibutani et al), 129A
eucapnic hyperventilation can facilitate recovery from inhalational anesthesia (Calalang et al), 109A
historic perspective of CO_2 monitoring in Scandinavia (Tammisto), 91A
improved nasal prong apparatus for end-tidal carbon dioxide monitoring in awake, sedated patients (Roy et al), 249
reduction of fresh gas flow requirements by a circle-modified Bain breathing circuit (Valdrighi and Nance), TECHNICAL NOTE, 49
sensitivity of a disposable end-tidal carbon dioxide detector (Jones and Dorsey), TECHNICAL NOTE, 268
simple capnometry during inhalational anesthesia with mask ventilation (Bredas et al), 108A
electrocardiography
electrocardiographic interference during cardiopulmonary bypass (Stone et al), 98A
Massachusetts General Hospital-Marquette Foundation hemodynamic and electrocardiographic database–comprehensive collection of critical care waveforms (Welch et al), 96A
spectral analysis of heart rate variability: methods for generation of a "real-time" heart rate signal (Latson and Hyndman), 121A
electroencephalography
electroencephalographic mapping during isoflurane anesthesia for treatment of mental depression (Engelhardt), 23
increased power of the low-frequency electroencephalogram components during cardiopulmonary bypass surgery predicts neurologic deficit (Edmonds and Griffiths), 84A
low perfusion pressure or interruption of blood flow suppresses electroencephalographic activity (Urzua), CORRESPONDENCE, 68; reply (Scheller and Jones), CORRESPONDENCE, 68
use of neural network analysis to classify electroencephalographic patterns against depth of midazolam sedation in intensive care unit patients (Veselis et al), 259
equipment
comparing geometric objects and conventional displays in patient monitoring (Deneault et al), 111A
specifications for new monitoring equipment for the operating room (Block et al), 84A
evoked potentials
baseline drift of the evoked thenar electromyogram signal (Meretoja and Brown), 93A
effect of surface electrode positioning on the compound muscle action potential evoked by ulnar nerve stimulation in isoflurane anesthesia without neuromuscular blockade (Kalli), 92A
electrophysiologic monitoring of motor function with transcranial magnetic motor-evoked potentials (Linden et al), 86A
eliminating diathermy-induced artifacts during intraoperative monitoring of somatosensory-evoked potentials: a hardware solution (Kalkman et al), TECHNICAL NOTE, 320
usefulness of epidurally evoked cortical potential monitoring during cervicomedullary glioma surgery (Morioka et al), CASE REPORT, 30
integrated
current issues in integrated monitoring (Zelcer), 83A
nitrogen
nitrogen build-up in a closed circuit (Philip), 87A
oxygen
clinical experience with pulse oximetry in the presence of prilocaine-induced methemoglobin (Wathieu et al), 134A
end-tidal oxygen: what is it? should it be displayed? (Paloheimo), 90A
measurement of tissue oxygen tension: comparison between two subcutaneous oxygen tonometers (Soini and Takala), 227
oxygen pipeline supply failure: a coping strategy (Anderson and Brock-Utne), CASE REPORT, 39
postoperative hypoxia on a surgical ward: telemetered pulse oximetry (Grundy et al), 119A
prolonging the lifespan of disposable Nellcor pulse oxisensors (Swedlow and Larson), CORRESPONDENCE, 211; reply (Miguel and Shlamowitz), CORRESPONDENCE, 211
prospective study of intraoperative pulse oximetry failure (Freund et al), 253
pulse oximetry during transport of the critically ill (Runcie and Reeve), CORRESPONDENCE, 348
skin reflectance pulse oximetry: in vivo measurements from the forearm and calf (Mendelson and McGinn), 7
physiologic
advanced technology applied to transthoracic impedance measurements improves accuracy and reproducibility of cardiac output determinations (Ebert et al), 113A
vital function status: a parameter to facilitate decision making in anesthesia (Nevo et al), 124A
vital signs versus anesthetic agent administration—which comes first? example of the beneficial use of computers in anesthesiology (Edsall and Farrow), 99A
pulse oximeters
central venous pulsations associated with a falsely low oxygen saturation measured by pulse oximetry (Sami et al), CASE REPORT, 309
respiratory gases
effects of bronchodilator-inhaler aerosol propellants on respiratory gas monitors (Elliot et al), TECHNICAL NOTE, 175
sodium
prevention of the hypervolemic hyponatremia syndrome by continuous monitoring (Watkins-Pitchford), 134A

stimulator, nerve
evaluation of a new hand-held neuromuscular transmission monitor (Torres et al), CORRESPONDENCE, 209
vascular
cerebral oxygen monitoring with near infrared spectroscopy: clinical application to neonates (Brazy), 325
expiratory flow rate curves for monitoring upper and lower airway obstruction during anesthesia (Davies et al), CORRESPONDENCE, 346
in vitro evaluation of relative perforating potential of central venous catheters: comparison of materials, selected models, number of lumens, and angles of incidence to simulated membrane (Gravenstein and Blackshear), 1
ventilation
continuous monitoring of pulmonary mechanics during anesthesia (Christie et al), 110A
evaluation of a new system to prevent anesthesia breathing circuit disconnections (Sosis et al), 132A
target feedback device for ventilatory muscle training (Belman and Shadmehr), TECHNICAL NOTE, 42
Muscle
skeletal
electrophysiologic monitoring of motor function with transcranial magnetic motor-evoked potentials (Linden et al), 86A
motor-evoked potentials
effect of surface electrode positioning on the compound muscle action potential evoked by ulnar nerve stimulation in isoflurane anesthesia without neuromuscular blockade (Kalli), 92A

Neural network analysis. *See* Measurement techniques
Neuromuscular relaxants
closed-loop servo-controlled system for the infusion of neuromuscular relaxants (Bloom et al), 106A
evoked electromyogram baseline changes without a decrease in thenar temperature (Tullock), 133A
modeling diffusion and blood flow predict early onset or neuromuscular blockade (Bartkowski and Epstein), 103A
Neuromuscular transmission
stimulator, nerve
evaluation of a new hand-held neuromuscular transmission monitor (Torres et al), CORRESPONDENCE, 209
Nitrogen
nitrogen build-up in a closed circuit (Philip), 89A
Nitroprusside. *See* Anesthetic techniques, hypotension, induced

Operating room
personnel
in-house medical personnel scheduler: an adaptable computer program for on-call or operating room scheduling (Seitman), 129A
Operating room technicians
invasive hemodynamic instrumentation and monitoring specialist program (McHale), 96A
Organizations
Marquette Foundation
Massachusetts General Hospital-Marquette Foundation hemodynamic and electrocardiographic database—comprehensive collection of critical care waveforms (Welch et al), 96A
Massachusetts General Hospital
Massachusetts General Hospital-Marquette Foundation hemodynamic and electrocardiographic database-comprehensive collection of critical care waveforms (Welch et al), 96A
Society for Technology in Anesthesia
Society for Technology in Anesthesia, ANNOUNCEMENT, A-15
Oxygen
blood levels
measurement of arterial oxygen tension in the hyperbaria environment (Scheller and Jones), CORRESPONDENCE, 68; reply (Litscher), CORRESPONDENCE, 68
prospective study of intraoperative pulse oximetry failure (Freund et al), 253
delivery systems
oxygen pipeline supply failure: a coping strategy (Anderson and Brock-Utne), CASE REPORT, 39
measurement
central venous pulsations associated with a falsely low oxygen saturation measured by pulse oximetry (Sami et al), CASE REPORT, 309
end-tidal oxygen: what is it? should it be displayed? (Paloheimo), 90A
tension
measurement of tissue oxygen tension: comparison between two subcutaneous oxygen tonometers (Soini and Takala), 227

Pain
measurement
effects of neurokinin A, neurokinin B, and eledoisin on substance P analysis (Naukam et al), TECHNICAL NOTE, 181
Pharmacokinetics
uptake
brain MAC predictor combined with anesthetic gas monitor and its pharmacokinetic simulator (Sanjo and Ikeda), 128A
Polypeptides
substance P
effects of neurokinin A, neurokinin B, and eledoisin on substance P analysis (Naukam et al), TECHNICAL NOTE, 181
Preoperative care
computerized anesthesiology preoperative evaluation (Neely et al), 96A
Publishing
ethics in publishing (Smith et al), EDITORIAL, 139

Quality assurance
computerization of anesthesia information management (Eichhorn and Edsall), WORKSHOP, 71
interactive database for quality assurance monitoring in anesthesia (Epstein and Bartkowski), 115A

Records
anesthesia
anesthesia information management systems: education through certification (Giles and Edsall), 118A
ARKIVE—current stage of evolution (Farrow), 100A

anesthesia (*continued*)
ARKIVE database analysis system—a new window on anesthesia care information (Farrow), 99A
computer acquisition of commonly available operating room data (Scamman et al), 86A
computerization of anesthesia information management (Eichhorn and Edsall), WORKSHOP, 71
controversy in automated record keeping (Noel), CORRESPONDENCE, 280
custom software in patient monitoring: using SpaceLabs PC mode (Feldman et al), 115A
gas man and agent monitoring-combining theory and practice in clinical anesthesia (Philip), 125A
interactive database for quality assurance monitoring in anesthesia (Epstein and Bartkowski), 115A
normal fluctuation of physiologic cardiovascular variables during anesthesia and the phenomenon of "smoothing" (Block), 141
our future is ARKIVE (Minic et al), 100A
use of an electronic strip chart recorder based on the Appollo personal workstation (Deneault and Ghignone), 113A
vital signs versus anesthetic agent administration—which comes first? examples of the beneficial use of computers in anesthesiology (Edsall and Farrow), 99A

Statistics
regularity statistic for medical data analysis (Pincus et al), ALGORITHM, 335

Surgery
cardiac
low perfusion pressure or interruption of blood flow suppresses electroencephalograhic activity (Urzua), CORRESPONDENCE, 68; reply (Scheller and Jones), CORRESPONDENCE, 68
thermodilution cardiac output measurement with a large left-to-right shunt (Pearl and Siegel), 146
cardiovascular
electrocardiographic interference during cardiopulmonary bypass (Stone et al), 98A
increased power of the low-frequency electroencephalogram components during cardiopulmonary bypass surgery predicts neurologic deficit (Edmonds and Griffiths), 84A
neurologic
usefulness of epidurally evoked cortical potential monitoring during cervicomedullary glioma surgery (Morioka et al), CASE REPORT, 30

Tracheostomy. *See* Equipment, tubes
Transfusion
fetal hemoglobin of transfused neonates and spectrophotometric measurements of oxyhemoglobin and carboxyhemoglobin (Mahoney et al), 154

Veins
venous pressure
central venous pulsations associated with a falsely low oxygen saturation measured by pulse oximetry (Sami et al), CASE REPORT, 309

Ventilation
airway resistance
measurement and analysis of unsteady flows (Epstein), 84A
artificial
clinical utility of a colorimetric end-tidal CO_2 detector in cardiopulmonary resuscitation and emergency intubation (Varon et al), 289
capnometry for continuous postoperative monitoring of nonintubated, spontaneously breathing patients (Lenz et al), 245
mechanical
assessment of anesthetic-induced changes in respiratory drive using the breath-by-breath technique (Torjman et al), 85A
continuous monitoring of pulmonary mechanics during anesthesia (Christie et al), 110A
effects of bellows leaks on anesthesia ventilator function (Harris et al), 120A
end-tidal carbon dioxide pressure in neonates and infants measured by aspiration and flow-through capnography (Badgwell and Heavner), 285
reduction of fresh gas flow requirements by a circle-modified Bain breathing circuit (Valdrighi and Nance), TECHNICAL NOTE, 49
obstruction
expiratory flow rate curves for monitoring upper and lower airway obstruction during anesthesia (Davies), CORRESPONDENCE, 346
pulmonary artery catheter monitoring during single-lung ventilation in dogs (Boucek et al), 107A
target feedback device for ventilatory muscle training (Belman and Shadmehr), TECHNICAL NOTE, 42